





HZM 825

STANDARD CONFIGURATIONS

- CHANGCHAI 4G33TCR ENGINE (70KW / 4CYLINERS)
- ELECTRICAL SHIFTER
- JOYSTICK
- 3 HYDRAULIC LINE
- 16/70-20 AG TIRE (BIG HUB REDUCTION AXLE)
- BIG REAR CAMERA
- FLOATING FUNCTION
- SIDE TILTING FLOOR
- ROPS NEW CABIN
- REAR ELECTRICAL POWER LINK
- LED WORK LIGHT / E4 LIGHT
- VARTA BATTERY
- EUROPEAN TRAILER PIN
- 220V WATER HEATER / AIR HEATER FOR ENGINE
- HYDRAULIC PRESSURE CHECK POINT
- STEERING LOCK LEVER
- PROTECTION FOR EASY BROKEN PARTS
- MANUAL POWER SWITCH
- PARK BLOCK RUBBER / CIGARETTE LIGHTER
- STEERING ANTICOLLISION RUBBER /SINGLE SPRAY PAINT



HZM 825



HZM 825

Specification	Overall weight(KG)	5000
	L×W×H (MM)	6000x2100x2580
	Rated bucket capacity(M³)	1.0-1.2
	Rated load(KG)	2500 (2580)
	Max. dump height (MM)	2850
	Bucket indicator	Yes
Engine	Model	CHANGCHAI 4G33TC (COPY FROM KUBOTA)
	Type	Vertical, In-line , Water cooling, four-stroke , diesel engine
	Rated power (KW)	70
	Rated speed(R/MIN)	2400
Transmission system	Model of torque converter	YJ265
	Gearbox type	Fixed-spindle power shift
	Gear shift	2 gears ahead,2 gear astern
Hydraulic system	Working pressure(MPA)	16
	Boom lifting time(S)	4.8
	Fuel tank capacity(L)	60
Steering system	Type	hydraulic steering
	Min turning radius(MM)	4300
Tires	Standard tires	16/70-20

H2M 825



• SMALL STEERING AGGLE



• LOW HEIGHT



• REAR POWER LINK




• ADJUSTABLE TRAILER



• SILICONE OIL SHOCK
ABSORBER



• ELECTRICAL SHIFTER
JOYSTICK



• NEW STEERING WHEEL



• NEW LIGHT CONTROL



• QUICK HITCH IN SAME SIZE



• ROPS CABIN



• EU COVER



• NEW JOYSTICK BOX